

SPECIFICATION SHEET

PRODUCT # : CL-527

• Directional Light

• Cast Aluminum

Fixture Specifications:

Housing & Shroud: Precision machined aluminum bar. The shroud is locked into place with one stainless steel philips head mini-screw, shroud is adjustable.

Finish: Polyester UV powder coated, available in **BK- Black** and **BZ- Bronze**.

Lens: Sealed shock resistant tempered glass lens to prevent water intrusion. Glass lens is clear.

Socket: Top grade fixed ceramic bi-pin socket.

Lamp: 12V T3, 20W max.
Available in LED (2W & 2.5W) or without lamp.
See the Lamp Guide below for more information.

Wiring: Fixture is prewired with a 3ft 18-2 SPT1-W direct burial cord. Wire connector sold separately.
Universal connector (**CX-839**) and silicone filled wire nut (**CX-854**) are available from Corona Lighting.

Gasket:

High temperature silicone O-rings for water-tight seal

Knuckle:

Machined aluminum knuckle with a solid stainless steel philips head mini-screw for adjustability and 1/2" NPT threaded male hub on bottom. An alternative thumb screw, and two (2) hex screws are included.

Mounting Spike:

Standard injection molded spike with 1/2" NPT threaded female hub.

Electrical Notes:


A remote 12V transformer is required. Options are available from Corona Lighting.
Voltage range for LED lamps are 8V-21V.
Proper grease/lubricant is suggested on threaded parts during installation process.

Warranty:


Five (5) year warranty on fixture housing, to protect against manufacturer's defects.



BZ- Bronze Finish Shown



Adjustable Shroud



AVAILABLE LED LAMPS (Corona LED lamps have a five (5) year limited warranty against manufacturer's defects)

LAMP NUMBER	WATTS	BEAM		COLOR & TEMP.	RATED HOURS	HALOGEN EQUIVALENT
		SPREAD	LUMEN			
L-EDT3-2W	2	360°	200	2700K	25,000	20 Watt
L-EDT3-2.5W	2.5	180°	240	2700K	25,000	35 Watt
L-EDT3-2W-3K	2	360°	210	3000K	25,000	20 Watt
L-EDT3-2.5W-3K	2.5	180°	250	3000K	25,000	35 Watt
L-EDT3-AM*	2	360°	170	2000K	25,000	20 Watt

* AM- Amber color

For more additional Lamps, and accessories visit Coronalighting.com

JOB INFORMATION

TYPE:

DATE:

JOB NAME & ADDRESS:

PRODUCT #:

TOTAL QUANTITY:

LAMP TYPE & WATTAGE:

TRANSFORMER:

CONTRACTOR:

SPECIFIER:

• When ordering LED lamp with a fixture your part number should follow the format below:

• CL - product # - color - lamp - wattage

CL - 527 - BK - L-EDT3 - 2W-3K

Example: CL-527-BK-L-EDT3-2W-3K

• Corona Lighting reserves the right to make any change and/or improvement to the design and construction of this fixture without further notification.


PRODUCT # : CL-527

• Directional Light

• Cast Aluminum

Mounting Pedestals

- CX-601-BK 1" PVC Mounting Pedestal, ½" NPT, **Black**
CX-601-VG 1" PVC Mounting Pedestal, ½" NPT, **Verde Green**
CX-603-BK 3" PVC Mounting Pedestal, ½" NPT Female Brass Hub on top, **Black**
CX-603-VG 3" PVC Mounting Pedestal, ½" NPT Female Brass Hub on top, **Verde Green**




- CX-604-BK 1" PVC Adjustable Mounting Pedestal, ½" NPT, **Black**
CX-621-BK 1" PVC Cap, ½" NPT, **Black**
CX-621-VG 1" PVC Cap, ½" NPT, **Verde Green**
CX-622-BK 2" PVC Cap, ½" NPT, **Black**
CX-622-VG 2" PVC Cap, ½" NPT, **Verde Green**
CX-624-BK 3" PVC Cap, ½" NPT Female Brass Hub, **Black**
CX-624-VG 3" PVC Cap, ½" NPT Female Brass Hub, **Verde Green**



Ground Spikes

- CX-642-BK 8.5" ABS Spike, ½" NPT, **Black**
CX-642-BZ 8.5" ABS Spike, ½" NPT, **Bronze**
CX-643-BZ 8.5" ABS Spike, ½" NPT, **Bronze**



- CX-646-BK 8" ABS Spike, ½" NPT, **Black**
CX-646-BR 8" ABS Spike, ½" NPT, **Natural Brass**
CX-646-SS 8" ABS Spike, ½" NPT, **Stainless Steel**
CX-647-BK 10.5" Heavy Duty ABS Spike, ½" NPT, **Black**

Mounting Canopies

- CX-701-BK Aluminum Round Canopy, ½" NPT, **Black**
CX-702-BK Aluminum Rectangular Canopy, ½" NPT, **Black**
CX-703 Aluminum tree mount canopy ½" NPT
Finishes: **BK-** Black, **BZ-** Bronze, **GR-** Green, **GT-** Granite, **RT-** Rust, **VG-** Verde Green, **WH-** White
CX-720 Aluminum Tree mount Canopy with 9" Rubber Strap stretches to 14"
Finishes: **BK-** Black, **BZ-** Bronze, **GR-** Green, **GT-** Granite, **RT-** Rust, **VG-** Verde Green, **WH-** White
CX-721 Aluminum Tree mount Canopy with 15" Rubber Strap stretches to 22"
Finishes: **BK-** Black, **BZ-** Bronze, **GR-** Green, **GT-** Granite, **RT-** Rust, **VG-** Verde Green, **WH-** White
CX-722 Aluminum Tree mount Canopy with 22" Rubber Strap stretches to 33"
Finishes: **BK-** Black, **BZ-** Bronze, **GR-** Green, **GT-** Granite, **RT-** Rust, **VG-** Verde Green, **WH-** White
CX-723 Aluminum Tree mount Canopy with 31" Rubber Strap stretches to 45"
Finishes: **BK-** Black, **BZ-** Bronze, **GR-** Green, **GT-** Granite, **RT-** Rust, **VG-** Verde Green, **WH-** White
CX-724 Aluminum Tree mount Canopy with 41" Rubber Strap stretches to 61"
Finishes: **BK-** Black, **BZ-** Bronze, **GR-** Green, **GT-** Granite, **RT-** Rust, **VG-** Verde Green, **WH-** White

Mounting Risers

- CX-671 6" Aluminum Riser, ½" NPT Male/Female
Finishes: **BK-** Black, **BZ-** Bronze, **GR-** Green, **GT-** Granite, **RT-** Rust, **VG-** Verde Green, **WH-** White
CX-672 12" Aluminum Riser, ½" NPT Male/Female
Finishes: **BK-** Black, **BZ-** Bronze, **GR-** Green, **GT-** Granite, **RT-** Rust, **VG-** Verde Green, **WH-** White
CX-673 18" Aluminum Riser, ½" NPT Male/Female
Finishes: **BK-** Black, **BZ-** Bronze, **GR-** Green, **GT-** Granite, **RT-** Rust, **VG-** Verde Green, **WH-** White




PRODUCT # : CL-527

• Directional Light

• Cast Aluminum

Mounting Brackets

- CX-700 Aluminum Bracket with ½" NPT
Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,
GT- Granite, **RT**- Rust, **VG**- Verde Green,
WH- White
- CX-704 Aluminum Oval Bracket with ½" NPT Female Hub
Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,
GT- Granite, **RT**- Rust, **VG**- Verde Green,
WH- White



Cable Connectors

- CX-854 Direct Burial Silicone Filled Wire Nut, **Tan**
- CX-858 Speedy Cable Connector, Supply Cable up to 10-2, **Black**
- CX-839 Universal cable connector, Supply cable up to 8-2, one/Pack **Black**

