

## **SPECIFICATION SHEET**

 1633 Staunton Ave

 Los Angeles, CA 90021

 TEL.
 FAX.

 (800) 727-9262
 (800) 727-9957

 (213) 747-4500
 (213) 747-3234

E-Mail: sales@coronalighting.com

1

PRODUCT # : CL-637					•Area Lights		• Aluminum	
Fixture Specifications:								
Housing:	Die-cast aluminum.				Wiring:		Fixture is prewired with a 3ft 18-2 direct burial cord. Wire connector sold seperately. Universal connector ( <b>CX-839</b> ), & silicone filled wire nut ( <b>CX-854</b> ) are available from Corona Lighting.	
Stem:	Die-cast aluminum sectional stem, with $\frac{1}{2}$ NPT hub on bottom.							
Finish:	Polyester UV powder coated, available in <b>BK- Black</b> , and <b>VG- Verde Green</b>				Mounti	ng Spike:	Black $8\frac{1}{2}$ " ABS stem with $\frac{1}{2}$ " NPT male hub on top	
Lens:	Clear, beveled glass				Electric	al Notes:	A remote 12V transformer is required. Options are	
Socket: Lamp:	<ul><li>lamp access.</li><li>p: 12V, SC Bayonet, 27W max.</li></ul>						available from Corona Lighting. Voltage range for LED lamps are 8V-21V. Proper grease/lubricant is suggested on threaded parts during installation process.	
	Available in LED (2W & 2.5W) or without lamp. See Lamp guide below for more information.					ty:	Limited five (5) year warranty on fixture housing an and stem against manufacter's defects.	nd
	L	Black finish sh			<b>E D</b> & 2.5W		7 <sup>1</sup> / <sub>2</sub> " ((*)) 25" 8 <sup>1</sup> / <sub>2</sub> "	
AVAILABLE LED LAMPS (Corona LED lamps have a five (5) ye BEAM				ar limited warrar COLOR &	nty against man <b>RATED</b>	ufacturer's defect		
LAMP NUMB		SPREAD	LUMEN	TEMP.	HOURS	EQUIVALEN	TYPE: DATE:	
L-EDBA-2W	2 N 2.5	360° 180°	200 240	2700K 2700K	25,000 25,000	20 Watt 35 Watt	JOB NAME & ADDRESS:	
L-EDBA-2W	-3K 2	360°	210	3000K	25,000	20 Watt	-	
L-EDBA-2.5		<u>180°</u> 360°	250 170	3000K 2000K	25,000 25,000	35 Watt 20 Watt	PRODUCT #:	
*AM- Amber co					,		- TOTAL QUANTITY:	
For more additional Lamps, and accessories visit Coronalighting.com							LAMP TYPE & WATTAGE:	
							TRANSFORMER:	
							CONTRACTOR:	
							SPECIFIER:	
	ng a halogen or xenon la			end of the pro	oduct number.	If you are orde	ring LED lamps you should follow the format below:	



Example: CL-637-BK-L-EDBA-2W-3K





## **ACCESSORIES SHEET**

1633 Staunton Ave Los Angeles, CA 90021 FAX. TEL. (800) 727-9957 (800) 727-9262 (213) 747-3234 (213) 747-4500

E-Mail: sales@coronalighting.com

## **PRODUCT # : CL-637** •Path Lights Aluminum **Mounting Brackets** CX-704-BK CX-700 Aluminum Bracket, 1/2" NPT Finishes: BK- Black, BZ- Bronze, GR- Green, GT- Granite, RT- Rust, VG- Verde Green, WH- White CX-704 Aluminum Bracket, 1/2" NPT Finishes: BK- Black, BZ- Bronze, GR- Green, GT- Granite, RT- Rust, VG- Verde Green, WH- White **3½"** -CX-700-BK **Cable Connectors** CX-854 Direct Burial Silicone Filled Wire Nut, Tan CX-858 Speedy Cable Connector, Supply Cable up to 10-2, Black CX-839 Universal cable connector, Supply cable up to 8-2, one/Pack Black 3<sup>3</sup>/4" - 3/4" 15%" 11/4" **CX-854** CX-839 11/4"