

SPECIFICATION SHEET

 1633 Staunton Ave

 Los Angeles, CA
 90021

 TEL.
 FAX.

 (800) 727-9262
 (800) 727-9957

 (213) 747-4500
 (213) 747-3234

E-Mail: sales@coronalighting.com

1

	DUCT # : C						Aluminum
Fixture	e Specificatio	ns:					
lousina:	Aluminum			Wiring	:	Fixture is prewired with a 3f	ft 18-2 direct burial cord
Stem:		ith $\frac{1}{2}$ " NPT on bottom. 12	2"	0		Wire connector sold sepera (CX-839), & silicone filled w available from Corona Light	vire nut (CX-854) are
inish:	and BZ- Bronze	coated, available in BK-		Mountii	ng Spike:	Standard injection molded s threaded female hub.	0
ens:	Clear tempered glass sprinkler water protect	s, cover over lamp providi ction.	ing	Electric	al Notes:	A remote 12V transformer re ordered to Corona Lighting	
Socket: _amp:	Top grade fixed cerar free lamp access. 12V, T3, 20W max.	nic bi-pin socket. Easy to	ol			Voltage range for LED lamp Proper grease/lubricant is s threaded parts during instal	s are 8V to 21V. uggested on
-amp.	Amp: 12V, 13, 20W max. Available in LED (2W & 2.5W) or without lamp. See Lamp guide below for more information.			Warranty:		Five (5) year warranty on fixture housing and stem against manufacturer's defects.	
		201⁄2"					
	CL-640-BK 18" Standard Stem Shown			E D & 2.5W			CL-640-BZ-12 12" Stem (Optional) Shown
	18" Standard Stem Shown	na LED lamps have a five (5) yea BEAM	ar limited warranty COLOR &	against manu	facturer's defect		12" Stem (Optional) Shown
AMP NUMBI	18" Standard Stem Shown E LED LAMPS (Coro ER WATTS	na LED lamps have a five (5) year	ar limited warranty	/ against manu	ifacturer's defect	TYPE:	12" Stem
AMP NUMBI -EDT3-2W -EDT3-2.5\	18" Standard Stem Shown E LED LAMPS (Coro ER WATTS 2 W 2.5	na LED lamps have a five (5) yea BEAM SPREAD LUMEN 360° 200 180° 240	ar limited warranty COLOR & TEMP. 2700K 2700K	/ against manu RATED HOURS 25,000 25,000	facturer's defect HALOGEN EQUIVALEN 20 Watt 35 Watt		12" Stem (Optional) Shown
AMP NUMB EDT3-2W EDT3-2.5V EDT3-2W- EDT3-2.5V	18" Standard Stem Shown ER WATTS 2 W 2.5 -3K 2 N-3K 2.5	SPREAD LUMEN 360° 200 180° 240 360° 210 180° 250	ar limited warranty COLOR & TEMP. 2700K 2700K 3000K 3000K	(against manu RATED HOURS 25,000 25,000 25,000 25,000	facturer's defect HALOGEN EQUIVALEN 20 Watt 35 Watt 20 Watt 35 Watt	T TYPE: JOB NAME & ADDRESS:	12" Stem (Optional) Shown
AMP NUMBI EDT3-2W EDT3-2.5V EDT3-2W- EDT3-2.5V EDT3-AM ⁴	18" Standard Stem Shown E LED LAMPS (Coro. ER WATTS 2 N 2.5 -3K 2 N-3K 2.5 2 N-3K 2.5	SPREAD LUMEN 360° 200 180° 240 360° 210	ar limited warranty COLOR & TEMP. 2700K 2700K 3000K	<i>against manu</i> RATED HOURS 25,000 25,000 25,000	facturer's defect HALOGEN EQUIVALEN 20 Watt 35 Watt 20 Watt	TYPE: JOB NAME & ADDRESS: PRODUCT #:	12" Stem (Optional) Shown
AMP NUMBI EDT3-2W EDT3-2.5V EDT3-2W- EDT3-2.5V EDT3-AM ⁴ AM- Amber co	18" Standard Stem Shown E LED LAMPS (Coro. ER WATTS 2 N 2.5 -3K 2 N-3K 2.5 2 N-3K 2.5	SPREAD LUMEN 360° 200 180° 240 360° 210 180° 250 360° 170	ar limited warranty COLOR & TEMP. 2700K 2700K 3000K 3000K	(against manu RATED HOURS 25,000 25,000 25,000 25,000	facturer's defect HALOGEN EQUIVALEN 20 Watt 35 Watt 20 Watt 35 Watt	TYPE: JOB NAME & ADDRESS: PRODUCT #: TOTAL QUANTITY:	12" Stem (Optional) Shown
AMP NUMBI -EDT3-2W -EDT3-2.5V -EDT3-2W- -EDT3-2.5V -EDT3-AM ⁴ AM- Amber co	18" Standard Stem Shown E LED LAMPS (Coro ER WATTS 2 N 2.5 -3K 2 N-3K 2.5 * 2 Dior	SPREAD LUMEN 360° 200 180° 240 360° 210 180° 250 360° 170	ar limited warranty COLOR & TEMP. 2700K 2700K 3000K 3000K	(against manu RATED HOURS 25,000 25,000 25,000 25,000	facturer's defect HALOGEN EQUIVALEN 20 Watt 35 Watt 20 Watt 35 Watt	TYPE: JOB NAME & ADDRESS: PRODUCT #: TOTAL QUANTITY: LAMP TYPE & WATTAGE:	12" Stem (Optional) Shown
AMP NUMBI -EDT3-2W -EDT3-2.5V -EDT3-2W- -EDT3-2.5V -EDT3-AM ⁴	18" Standard Stem Shown E LED LAMPS (Coro ER WATTS 2 N 2.5 -3K 2 N-3K 2.5 * 2 Dior	SPREAD LUMEN 360° 200 180° 240 360° 210 180° 250 360° 170	ar limited warranty COLOR & TEMP. 2700K 2700K 3000K 3000K	(against manu RATED HOURS 25,000 25,000 25,000 25,000	facturer's defect HALOGEN EQUIVALEN 20 Watt 35 Watt 20 Watt 35 Watt	T TYPE: JOB NAME & ADDRESS: PRODUCT #: TOTAL QUANTITY: LAMP TYPE & WATTAGE: TRANSFORMER:	12" Stem (Optional) Shown
AMP NUMBI -EDT3-2W -EDT3-2.5V -EDT3-2W- -EDT3-2.5V -EDT3-AM ⁴	18" Standard Stem Shown E LED LAMPS (Coro ER WATTS 2 N 2.5 -3K 2 N-3K 2.5 * 2 Dior	SPREAD LUMEN 360° 200 180° 240 360° 210 180° 250 360° 170	ar limited warranty COLOR & TEMP. 2700K 2700K 3000K 3000K	(against manu RATED HOURS 25,000 25,000 25,000 25,000	facturer's defect HALOGEN EQUIVALEN 20 Watt 35 Watt 20 Watt 35 Watt	TYPE: JOB NAME & ADDRESS: PRODUCT #: TOTAL QUANTITY: LAMP TYPE & WATTAGE:	12" Stem (Optional) Shown
AMP NUMBI -EDT3-2W -EDT3-2.5V -EDT3-2W- -EDT3-2.5V -EDT3-AM ⁴ AM- Amber co	18" Standard Stem Shown E LED LAMPS (Coro ER WATTS 2 N 2.5 -3K 2 N-3K 2.5 * 2 Dior	SPREAD LUMEN 360° 200 180° 240 360° 210 180° 250 360° 170	ar limited warranty COLOR & TEMP. 2700K 2700K 3000K 3000K	(against manu RATED HOURS 25,000 25,000 25,000 25,000	facturer's defect HALOGEN EQUIVALEN 20 Watt 35 Watt 20 Watt 35 Watt	T TYPE: JOB NAME & ADDRESS: PRODUCT #: TOTAL QUANTITY: LAMP TYPE & WATTAGE: TRANSFORMER: CONTRACTOR:	12" Stem (Optional) Shown

CL - 640 - BK - L-EDT3 - 2W-3K

Example: CL-640-BK-L-EDT3-2W-3K

• Corona Lighting reserves the right to make any change and/or improvement to the design and construction of this fixure without further notification.



CX-673-BK 18"



ACCESSORIES SHEET

Area Lights

 1633 Staunton Ave

 Los Angeles, CA
 90021

 TEL.
 FAX.

 (800) 727-9262
 (800) 727-9957

 (213) 747-4500
 (213) 747-3234

E-Mail: sales@coronalighting.com

Aluminum

PRODUCT # : CL-640

Mounting Brackets

CX-700	Aluminum Bracket, ½" NPT				
	Finishes: BK- Black, BZ- Bronze, GR- Green,				
	GT- Granite, RT- Rust, VG- Verde Green,				
	WH- White				
01/ 704	Alexandream Description 1/2 NDT				

CX-704 Aluminum Bracket, ½" NPT Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green, **GT**- Granite, **RT**- Rust, **VG**- Verde Green, **WH**- White



11/4" CX-839



Cable Connectors

CX-854	Direct Burial Silicone Filled Wire Nut, Tan
CX-858	Speedy Cable Connector, Supply Cable up to 10-2, Black
CX-839	Universal cable connector, Supply cable up to 8-2, one/Pack Black

