

SAY HELLO TO FIAT BLUX

FIAT LUX are color changing (RGB+CCT), and Bluetooth connected low-voltage landscape lighting fixtures. Combined with robust customization, they will enhance any outdoor living space.

Blending beautiful design and cutting-edge technology; these fixtures deliver an unmatched lighting experience. To unlock all the amazing features, you just pair FIAT LUX devices with the easy-to-use companion Corona BT app.







TAKE CONTROL & CHANGE YOUR MOOD

App-controlled, color changing fixtures were engineered for Bluetooth mesh technology, delivering superior BT range. Replaceable LED engine and lenses makes serviceability simple.

- PREMIUM GRADE BRASS FIXTURES
- MULTIPLE COLOR FINISHES (GUN METAL OR ANTIQUE BRONZE)
- MULTIPLE BEAM ANGLES
- EXTERNAL HI-GAIN ANTENNAS
- UP, PATH & DOWN LIGHTS AVAILABLE
- RANGE EXTENDER OPTION
- WIRELESS BT GATEWAY OPTION











CONTROL YOUR LIGHTING FROM YOUR FINGERTIPS

FULL FEATURED COMPANION APP:

- CHANGE YOUR AMBIANCE TO ANY COLOR
- TUNABLEWHITE COLOR TEMPERATURES
- SYNC YOUR LIGHTS TO YOUR FAVORITE MUSIC
- CREATE 8 CUSTOM SCENES WITH 8 COLORS
- ADJUSTABLE SNAP & FADE MODES
- UNLIMITED FIXTURE GROUPINGS
- CONTROL MULTIPLE HOMES
- VOICE ASSISTANT OPTIONS
- ACCOUNT BASED APP SHARING

DOWNLOAD THE FREE 'CORONA BT' APP











SPECIFICATIONS

PRODUCT Cast Brass RGB+CCT Bluetooth Directional Light, Standard Shroud

FINISHES AB - Antique Bronze, GM - Gun Metal BEAM SPREAD 38° Standard (15° & 60° options also included) LUMENS 15LM - 450LM Output CCT OPTIONS Preset 2700k, 3000k, 4000k, 5000k FIXTURE 10' Cord SUPPLIED MOUNTING Plastic Ground Spike

1W-6W Integrated LED



PRODUCT Cast Brass RGB+CCT Bluetooth Directional Light, Flat Shroud

FINISHES AB - Antique Bronze, GM - Gun Metal BEAM SPREAD 38° Standard (15° & 60° options also included) LUMENS 15LM - 450LM Output CCT OPTIONS Preset 2700k, 3000k, 4000k, 5000k FIXTURE 10' Cord SUPPLIED MOUNTING Plastic Ground Spike

1W-6W Integrated LED



PRODUCT Cast Brass RGB+CCT Bluetooth Directional Light, Longer Shroud

FINISHES AB - Antique Bronze, GM - Gun Metal BEAM SPREAD 38° Standard (15° & 60° options also included) LUMENS 15LM - 450LM Output CCT OPTIONS Preset 2700k, 3000k, 4000k, 5000k FIXTURE 10' Cord SUPPLIED MOUNTING Plastic Ground Spike

1W-6W Integrated LED



PRODUCT Cast Brass RGB+CCT Bluetooth Flood Light, Frosted Lens

FINISHES AB - Antique Bronze, GM - Gun Metal BEAM SPREAD 120° LUMENS 15LM - 350LM Output CCT OPTIONS Preset 2700k, 3000k, 4000k, 5000k FIXTURE 10' Cord SUPPLIED MOUNTING Plastic Ground Spike

1W-5W Integrated LED

CL-106-BT

PRODUCT Cast Brass RGB+CCT Bluetooth Down Light w/Tree Mounting Bracket

FINISHES AB - Antique Bronze, GM - Gun Metal BEAM SPREAD 38° Standard (15° & 60° options also included) LUMENS 15LM - 450LM Output CCT OPTIONS Preset 2700k, 3000k, 4000k, 5000k FIXTURE 10' Cord SUPPLIED MOUNTING Plastic Ground Spike

1W-6W Integrated LED



PRODUCT Cast Brass RGB+CCT Bluetooth Directional Light, Standard Shroud

FINISHES AB - Antique Bronze, GM - Gun Metal BEAM SPREAD 38° Standard (15° & 60° options also included) LUMENS 15LM - 450LM Output CCT OPTIONS Preset 2700k, 3000k, 4000k, 5000k FIXTURE 10' Cord SUPPLIED MOUNTING Plastic Ground Spike

1W-6W Integrated LED



PRODUCT Cast Brass RGB+CCT Bluetooth Directional Light, Flat Shroud

FINISHES AB - Antique Bronze, GM - Gun Metal BEAM SPREAD 38° Standard (15° & 60° options also included) LUMENS 15LM - 450LM Output CCT OPTIONS Preset 2700k, 3000k, 4000k, 5000k FIXTURE 10' Cord SUPPLIED MOUNTING Plastic Ground Spike

1W-6W Integrated LED



PRODUCT Cast Brass RGB+CCT Bluetooth Directional Light, Standard Shroud

FINISHES AB - Antique Bronze, GM - Gun Metal BEAM SPREAD 38° Standard (15° & 60° options also included) LUMENS 15LM - 450LM Output CCT OPTIONS Preset 2700k, 3000k, 4000k, 5000k FIXTURE 10' Cord SUPPLIED MOUNTING Plastic Ground Spike

1W-6W Integrated LED



PRODUCT Cast Brass RGB+CCT Bluetooth Directional Light, Flat Shroud

FINISHES AB - Antique Bronze, GM - Gun Metal BEAM SPREAD 38° Standard (15° & 60° options also included) LUMENS 15LM - 450LM Output CCT OPTIONS Preset 2700k, 3000k, 4000k, 5000k FIXTURE 10' Cord SUPPLIED MOUNTING Plastic Ground Spike

1W-6W Integrated LED



PRODUCT Bluetooth Range Extender

FINISHES Black
TECH Bluetooth Mesh Technology
TRANSMISSION RANGE 260 Feet
OPERATING VOLTAGE 9-17
RATING IP65
SUPPLIED MOUNTING Plastic Ground Spike
(Optional Mounting Bracket)

1W RADIO

CX-BTG

PRODUCT Wireless Bluetooth Mesh Gateway

BLUETOOTH Bluetooth Mesh to 2.4ghz Wi-Fi
Wireless Network

SUPPORTS All Fiat Lux Fixtures

CONNECTION Connects BT APP to Alexa & Google Home

APP Advanced App Scheduling & Automations

CONTROL Remote Lighting Control

5V DC USB | Micro USB Cable

T-LT75





PRODUCT 75W 12 & 15V Single Circuit Transformer

- · Top grade stainless steel, NEMA 3R Enclosure
- · High performance magnetic circuit breaker
- · Built-in Mechanical Timer
- · 6' Water resistant, Heavy Gauge Power Cord
- · Pool and Spa Rated
- · Accessories (not included): Photocell (T-TR-FIP)

120V | Primary 12 & 15 Volt Taps

Size

4 1/4 " W x 7 1/2 " H x 4 1/2 " D

T-LT150



Size 11 5/8 " H × 6 " W × 4 7/8 " D



T-LT300



Size 11 5/8 " H x 6" W x 4 7/8 " D



PRODUCT 150W 12-15V Single Circuit Transformer

- · Top grade stainless steel, NEMA 3R Enclosure
- · Automatic Shut-Down Thermal Protection
- · 6' Water resistant, Heavy Gauge Power Cord
- · Pool and Spa Rated
- · Accessories (not included): Mechanical Timer(T-FIT), Digital Timer (T-FIDT), and Photocell (T-TR-FIP)

120V Primary | 12, 13, 14 & 15 Volt Taps



PRODUCT 300W 12-15V Single Circuit Transformer

- · Top grade stainless steel, NEMA 3R Enclosure
- · Automatic Shut-Down Thermal Protection
- · 6' Water resistant, Heavy Gauge Power Cord
- · Pool and Spa Rated
- Accessories (not included): Mechanical Timer(T-FIT), Digital Timer (T-FIDT), and Photocell (T-TR-FIP)

120V Primary | 12, 13, 14 & 15 Volt Tap

T-LT600



Size 14 1/4" H x 7 3/8 " W x 6 1/4 " D



PRODUCT 600W 12-15V Dual Circuit Transformer

- · Top grade stainless steel, NEMA 3R Enclosure
- · Automatic Shut-Down Thermal Protection
- · 6' Water resistant, Heavy Gauge Power Cord
- · Pool and Spa Rated
- · Accessories (not included): Mechanical Timer(T-FIT), Digital Timer (T-FIDT), and Photocell (T-TR-FIP)

120V Primary | 12, 13, 14 & 15 Volt Tap

CORONA LIGHTING, INC. 1633 STAUNTON AVE LOS ANGELES, CA 90021

TEL. (800) 727-9262 - (213) 747-4500 FAX. (800) 727-9957 - (213) 747-3234

E-MAIL: SALES@CORONALIGHTING.COM

VIEW START GUIDES, SPEC SHEETS & DRAWINGS AT

CORONALIGHTING.COM

VISIT FAIT LUX LEARNIT SERIES ON YOUTUBE



LIMITED WARRANTY COVERAGE

Corona Lighting, warrants its products to be free of defects in material and/or workmanship, ONLY when purchased through AUTHORIZED Corona Lighting distributors. Additionally, the warranty protections issued by Corona Lighting can only remain valid under normal usage conditions, and installed in accordance with the provided installation instruction sheet (IIS), specifications, and accepted trade practices. Moreover, The limited warranty coverages are valid through the specific time frames listed below:

- Brass, Copper, and Stainless Steel Fixtures: Lifetime warranty from date of Corona Lighting Invoice.
- LED Integrated Fixtures: Ten (10) years warranty on LED module from date of Corona Lighting Invoice.
- Transformers: Ten years warranty on coils. One year warranty on timers, photocells, and accessories. Lifetime warranty on stainless steel enclosures. All warranties are valid from date of Corona Lighting invoice.

THIS WARRANTY EXCLUDES

Acts of Nature, Flooding and Fires.

Lamps not manufactured by Corona Lighting.

Products not used in accordance with directions specified in the installations instruction sheets (IIS) and local city ordinances. Products used with LED lamps not manufactured by Corona Lighting.

Products which are subject to unauthorized repair. Damages caused by accident, alteration, misuses and factory repair exceeding the cost of the product. Products not purchased through authorized distributors.

LIMIT of LIABILITY and OTHER CONDITIONS

Corona Lighting reserves the right to issue credit, repair, or replace the defective product, at our option upon receipt of written notification by original customer of the alleged defect only.


Corona Lighting assumes no responsibility for improper installation of the product and shall not be liable for any incidential or consequential damages resulting from use of this product.

The use of other companies' products or components in conjunction with Corona Lighting's products can be hazardous. Such usage will void and nullify any product warranty issued by Corona Lighting.

No other warranties or guarantees; either expressed or implied, exist beyond the stated warranties herein. No employee or agent of Corona Lighting may extend, modify and/or change the terms of these warranties.

Corona Lighting is not responsible for costs inccured by shipment, replacement, repair, and installation of product by customer or other. Corona Lighting reserves the right to make changes to its products without prior notice.







WWW.CORONALIGHTING.COM