

SPECIFICATION SHEET

PRODUCT # : CL-539

• Directional Light

• Cast Aluminum

Fixture Specifications:

Housing & Shroud: Precision machined cast aluminum. The two brass thumb screws allow field adjustments. Shroud is rotatable 360° to prevent glare.

Knuckle: Adjustable cast aluminum knuckle with thumb screw and 1/2" NPT threaded male hub on bottom. Supplied with one (1) 6x28mm SS philips headed screw to replace the thumb screw.

Finish: Polyester UV powder coated, available in **BK- Black** and **BZ- Bronze**.

Mounting Spike: Standard injection molded with 1/2" NPT threaded female hub.

Lens: None

Electrical Notes: A remote 12V transformer is required. Options are available from Corona Lighting. Voltage range for lamps are 9-17V. Proper grease/lubricant is suggested on threaded parts during installation process.

Socket: PAR-36 screw terminal.



Lamp: 12V, PAR36 LED
Available in 15W Bluetooth mesh smart RGB-WW, or CCT; 5 / 10 / 15W (adjustable), 6W economy LED or without lamp. See Lamp Guide below for more information.

Warranty: Five (5) year warranty on fixture housing, to protect against manufacturer's defects.

Wiring: Fixture is prewired with a 3ft 18-2 SPT2-W direct burial cord. Wire connector sold separately. Quick-locking connectors (**CX-LOC**) are available from Corona Lighting.



BK-Black Finish Is Shown.



AVAILABLE LED LAMPS

LAMP NUMBER	WATTS	BEAM		COLOR & TEMP.	RATED HOURS	HALOGEN EQUIVALENT
		SPREAD	LUMEN			
Premium LED Lamps (Premium LED lamps have a five (5) year limited warranty against manufacturer's defects)						
L-ED36-15W-BT	1-15	15° / 38° / 60° / 100°	25-1200	2200K-5700K	50,000	100W
L-ED36-15W-CCT	0.2-15	15° / 38° / 60° / 100°	25-1200	2200K-5700K	50,000	100W
L-ED36-15W-ADJ	Push Button Adjustable Modes below:					
5W-Mode	5	15° / 38° / 60° / 100°	450	2700K / 3000K	50,000	40W
10W- Mode	10	15° / 38° / 60° / 100°	800	2700K / 3000K	50,000	75W
15W- Mode	15	15° / 38° / 60° / 100°	1200	2700K / 3000K	50,000	100W
Economy LED Lamps (Economy LED lamps have a three (3) year limited warranty against manufacturer's defects)						
L-ED36-6WEC-FL	6	38°	630	2700K	50,000	35W
L-ED36-6WEC-FL-3K	6	38°	700	3000K	50,000	35W

JOB INFORMATION

TYPE: _____ DATE: _____
 JOB NAME & ADDRESS: _____
 PRODUCT #: _____
 TOTAL QUANTITY: _____
 LAMP TYPE & WATTAGE: _____
 TRANSFORMER: _____
 CONTRACTOR: _____
 SPECIFIER: _____

* -Bluetooth connection • -Color changing

For more additional Lamps, and accessories visit Coronalighting.com

• When ordering LED lamp with a fixture your part number should follow the format below:

• **CL** - product # - **color** - **lamp** - **wattage** - **lamp angle**
 CL - 539 - BZ - L-ED36 - 6WEC - FL

Example: CL-539-BZ-L-ED36-6WEC-FL

• Corona Lighting reserves the right to make any change and/or improvement to the design and construction of this fixture without further notification.


PRODUCT # : CL-539

• Directional Light

• Cast Aluminum


Mounting Pedestals

- CX-601-BK 1" PVC Mounting Pedestal, 1/2" NPT, **Black**
- CX-601-VG 1" PVC Mounting Pedestal, 1/2" NPT, **Verde Green**
- CX-603-BK 3" PVC Mounting Pedestal, 1/2" NPT Female Brass Hub on top, **Black**
- CX-603-VG 3" PVC Mounting Pedestal, 1/2" NPT Female Brass Hub on top, **Verde Green**



CX-603-BK


- CX-604-BK 1" PVC Adjustable Mounting Pedestal, 1/2" NPT, **Black**
- CX-621-BK 1" PVC Cap, 1/2" NPT, **Black**
- CX-621-VG 1" PVC Cap, 1/2" NPT, **Verde Green**
- CX-622-BK 2" PVC Cap, 1/2" NPT, **Black**
- CX-622-VG 2" PVC Cap, 1/2" NPT, **Verde Green**
- CX-624-BK 3" PVC Cap, 1/2" NPT Female Brass Hub, **Black**
- CX-624-VG 3" PVC Cap, 1/2" NPT Female Brass Hub, **Verde Green**



CX-703-BK




CX-722-BK



Ground Spikes

- CX-642-BK 8.5" ABS Spike, 1/2" NPT, **Black**
- CX-642-BZ 8.5" ABS Spike, 1/2" NPT, **Bronze**
- CX-643-BZ 8.5" ABS Spike, 1/2" NPT, **Bronze**



CX-647-BK

- CX-646-BK 8" ABS Spike, 1/2" NPT, **Black**
- CX-646-BR 8" ABS Spike, 1/2" NPT, **Natural Brass**
- CX-646-SS 8" ABS Spike, 1/2" NPT, **Stainless Steel**
- CX-647-BK 10.5" Heavy Duty ABS Spike, 1/2" NPT, **Black**

Mounting Canopies

- CX-701-BK Aluminum Round Canopy, 1/2" NPT, **Black**
- CX-702-BK Aluminum Rectangular Canopy, 1/2" NPT, **Black**
- CX-703 Aluminum tree mount canopy 1/2" NPT
Finishes: **BK- Black, BZ- Bronze, GR- Green, GT- Granite, RT- Rust, VG- Verde Green, WH- White**
- CX-720 Aluminum Tree mount Canopy with 9" Rubber Strap stretches to 14"
Finishes: **BK- Black, BZ- Bronze, GR- Green, GT- Granite, RT- Rust, VG- Verde Green, WH- White**
- CX-721 Aluminum Tree mount Canopy with 15" Rubber Strap stretches to 22"
Finishes: **BK- Black, BZ- Bronze, GR- Green, GT- Granite, RT- Rust, VG- Verde Green, WH- White**
- CX-722 Aluminum Tree mount Canopy with 22" Rubber Strap stretches to 33"
Finishes: **BK- Black, BZ- Bronze, GR- Green, GT- Granite, RT- Rust, VG- Verde Green, WH- White**
- CX-723 Aluminum Tree mount Canopy with 31" Rubber Strap stretches to 45"
Finishes: **BK- Black, BZ- Bronze, GR- Green, GT- Granite, RT- Rust, VG- Verde Green, WH- White**

Mounting Risers

- CX-671 6" Aluminum Riser, 1/2" NPT Male/Female
Finishes: **BK- Black, BZ- Bronze, GR- Green, GT- Granite, RT- Rust, VG- Verde Green, WH- White**
- CX-672 12" Aluminum Riser, 1/2" NPT Male/Female
Finishes: **BK- Black, BZ- Bronze, GR- Green, GT- Granite, RT- Rust, VG- Verde Green, WH- White**
- CX-673 18" Aluminum Riser, 1/2" NPT Male/Female
Finishes: **BK- Black, BZ- Bronze, GR- Green, GT- Granite, RT- Rust, VG- Verde Green, WH- White**



CX-671-BK 6"



CX-672-BK 12"



CX-673-BK 18"

PRODUCT # : CL-539

• Directional Light


• Cast Aluminum

Mounting Brackets


CX-700 Aluminum Bracket, 1/2" NPT
Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green, **GT**- Granite, **RT**- Rust, **VG**- Verde Green, **WH**- White

CX-704 Aluminum Bracket, 1/2" NPT
Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green, **GT**- Granite, **RT**- Rust, **VG**- Verde Green, **WH**- White

CX-704-BK





CX-700-BK



Cable Connectors

CX-LOC Quick-locking Cable Connectors, Tan



Stainless Steel Pool and Spa Rated Transformers

- T-LTF60 60W, 12V, Compact Mini Transformer
- T-LT75 75W, 12 and 15V, Single Circuit Transformer w/ Integrated Mechanical Timer.
- T-LT150 150W, 12-15V, Single Circuit Transformer.
- T-LT300 300W, 12-15V, Single Circuit Transformer.
- T-LT600 600W, 12-15V, Dual Circuit Transformer.
- T-LT900 900W, 12-22V, Triple Circuit Transformer.
- T-FIDT Field Installed Plug-in Digital Timer.
- T-FIT Field Installed Plug-in Mechanical Timer.
- T-TR-FIP Field Installed Plug-in Photocell

CX-LOC



T-LT75



T-FIDT



T-LT300