

## PRODUCT # : CL-539-BZ

• Directional Light

• Cast Aluminum

### Fixture Specifications:

**Housing & Shroud:** Precision machined cast aluminum. The two brass thumb screws allow field adjustments. Shroud is rotatable 360° to prevent glare.

**Finish:** Polyester UV powder coated, in **BZ- Bronze**.

**Lens:** None

**Socket:** PAR-36 screw terminal.

**Lamp:** 12V, PAR36 LED  
Available in 15W Bluetooth mesh smart RGB-WW, or CCT; 5 / 10 / 15W (adjustable), 6W economy LED or without lamp. See Lamp Guide below for more information.

**Wiring:** Fixture is prewired with a 3ft 18-2 SPT2-W direct burial cord. Wire connector sold separately. Quick-locking connectors (**CX-LOC**) are available from Corona Lighting.

#### Knuckle:

Adjustable cast aluminum knuckle with thumb screw and ½" NPT threaded male hub on bottom. Supplied with one (1) 6x28mm SS philips headed screw to replace the thumb screw.

#### Mounting Spike:



Standard injection molded with ½" NPT threaded female hub.

#### Electrical Notes:

A remote 12V transformer is required. Options are available from Corona Lighting. Voltage range for lamps are 9-17V. Proper grease/lubricant is suggested on threaded parts during installation process.

#### Warranty:

Five (5) year warranty on fixture housing, to protect against manufacturer's defects.



### AVAILABLE LED LAMPS

| AVAILABLE LED LAMP'S                                                                                                             |                                     | BEAM                   |         | COLOR & TEMP. | RATED HOURS | HALOGEN EQUIVALENT |
|----------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|------------------------|---------|---------------|-------------|--------------------|
| LAMP NUMBER                                                                                                                      | WATTS                               | SPREAD                 | LUMEN   |               |             |                    |
| <b>Premium LED Lamps</b> <small>(Premium LED lamps have a five (5) year limited warranty against manufacturer's defects)</small> |                                     |                        |         |               |             |                    |
| L-ED36-15W-BT                                 | 1-15                                | 15° / 38° / 60° / 100° | 25-1200 | 2200K-5700K   | 50,000      | 100W               |
| L-ED36-15W-CCT                                | 0.2-15                              | 15° / 38° / 60° / 100° | 25-1200 | 2200K-5700K   | 50,000      | 100W               |
| L-ED36-15W-ADJ                                                                                                                   | Push Button Adjustable Modes below: |                        |         |               |             |                    |
| 5W-Mode                                                                                                                          | 5                                   | 15° / 38° / 60° / 100° | 450     | 2700K / 3000K | 50,000      | 40W                |
| 10W- Mode                                                                                                                        | 10                                  | 15° / 38° / 60° / 100° | 800     | 2700K / 3000K | 50,000      | 75W                |
| 15W- Mode                                                                                                                        | 15                                  | 15° / 38° / 60° / 100° | 1200    | 2700K / 3000K | 50,000      | 100W               |

### Economy LED Lamps

 (Economy LED lamps have a three (3) year limited warranty against manufacturer's defects)

|                   |   |     |     |       |        |     |
|-------------------|---|-----|-----|-------|--------|-----|
| L-ED36-6WEC-FL    | 6 | 38° | 630 | 2700K | 50,000 | 35W |
| L-ED36-6WEC-FL-3K | 6 | 38° | 700 | 3000K | 50,000 | 35W |

✱ -Bluetooth connection ● -Color changing

For more additional Lamps, and accessories visit [Coronalighting.com](http://Coronalighting.com)

### JOB INFORMATION

TYPE:

DATE:

JOB NAME &amp; ADDRESS:

PRODUCT #:

TOTAL QUANTITY:

LAMP TYPE &amp; WATTAGE:

TRANSFORMER:

CONTRACTOR:

SPECIFIER:

• When ordering LED lamp with a fixture your part number should follow the format below:

• **CL** - **product #** - **color** - **lamp** - **wattage** - **lamp angle**

**CL** - **539** - **BZ** - **L-ED36** - **6WEC** - **FL**

Example: CL-539-BZ-L-ED36-6WEC-FL

• Corona Lighting reserves the right to make any change and/or improvement to the design and construction of this fixture without further notification.


## PRODUCT # : CL-539-BZ

• Directional Light

• Cast Aluminum

### Mounting Pedestals

- CX-601-BK 1" PVC Mounting Pedestal, ½" NPT, **Black**  
CX-601-VG 1" PVC Mounting Pedestal, ½" NPT, **Verde Green**  
CX-603-BK 3" PVC Mounting Pedestal, ½" NPT Female Brass Hub on top, **Black**  
CX-603-VG 3" PVC Mounting Pedestal, ½" NPT Female Brass Hub on top, **Verde Green**



- CX-604-BK 1" PVC Adjustable Mounting Pedestal, ½" NPT, **Black**  
CX-621-BK 1" PVC Cap, ½" NPT, **Black**  
CX-621-VG 1" PVC Cap, ½" NPT, **Verde Green**  
CX-622-BK 2" PVC Cap, ½" NPT, **Black**  
CX-622-VG 2" PVC Cap, ½" NPT, **Verde Green**  
CX-624-BK 3" PVC Cap, ½" NPT Female Brass Hub, **Black**  
CX-624-VG 3" PVC Cap, ½" NPT Female Brass Hub, **Verde Green**



### Ground Spikes

- CX-642-BK 8.5" ABS Spike, ½" NPT, **Black**  
CX-642-BZ 8.5" ABS Spike, ½" NPT, **Bronze**  
CX-643-BZ 8.5" ABS Spike, ½" NPT, **Bronze**



- CX-646-BK 8" ABS Spike, ½" NPT, **Black**  
CX-646-BR 8" ABS Spike, ½" NPT, **Natural Brass**  
CX-646-SS 8" ABS Spike, ½" NPT, **Stainless Steel**  
CX-647-BK 10.5" Heavy Duty ABS Spike, ½" NPT, **Black**

### Mounting Canopies

- CX-701-BK Aluminum Round Canopy, ½" NPT, **Black**  
CX-702-BK Aluminum Rectangular Canopy, ½" NPT, **Black**  
CX-703 Aluminum tree mount canopy ½" NPT  
Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green, **GT**- Granite, **RT**- Rust, **VG**- Verde Green, **WH**- White  
CX-720 Aluminum Tree mount Canopy with 9" Rubber Strap stretches to 14"  
Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green, **GT**- Granite, **RT**- Rust, **VG**- Verde Green, **WH**- White  
CX-721 Aluminum Tree mount Canopy with 15" Rubber Strap stretches to 22"  
Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green, **GT**- Granite, **RT**- Rust, **VG**- Verde Green, **WH**- White  
CX-722 Aluminum Tree mount Canopy with 22" Rubber Strap stretches to 33"  
Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green, **GT**- Granite, **RT**- Rust, **VG**- Verde Green, **WH**- White  
CX-723 Aluminum Tree mount Canopy with 31" Rubber Strap stretches to 45"  
Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green, **GT**- Granite, **RT**- Rust, **VG**- Verde Green, **WH**- White

### Mounting Risers

- CX-671 6" Aluminum Riser, ½" NPT Male/Female  
Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green, **GT**- Granite, **RT**- Rust, **VG**- Verde Green, **WH**- White  
CX-672 12" Aluminum Riser, ½" NPT Male/Female  
Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green, **GT**- Granite, **RT**- Rust, **VG**- Verde Green, **WH**- White  
CX-673 18" Aluminum Riser, ½" NPT Male/Female  
Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green, **GT**- Granite, **RT**- Rust, **VG**- Verde Green, **WH**- White



## PRODUCT # : CL-539-BZ

• Directional Light

• Cast Aluminum

### Mounting Brackets

CX-700 Aluminum Bracket, 1/2" NPT  
Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,  
**GT**- Granite, **RT**- Rust, **VG**- Verde Green,  
**WH**- White

CX-704 Aluminum Bracket, 1/2" NPT  
Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,  
**GT**- Granite, **RT**- Rust, **VG**- Verde Green,  
**WH**- White

CX-700-BK



3 3/4"

CX-704-BK



3 1/2"

### Cable Connectors

CX-LOC Quick-locking Cable Connectors, Tan

CX-LOC



5/8"

1 1/2"

### Stainless Steel Pool and Spa Rated Transformers

T-LTF60 60W, 12V, Compact Mini Transformer  
T-LT75 75W, 12 and 15V, Single Circuit Transformer  
w/ Integrated Mechanical Timer.  
T-LT150 150W, 12-15V, Single Circuit Transformer.  
T-LT300 300W, 12-15V, Single Circuit Transformer.  
T-LT600 600W, 12-15V, Dual Circuit Transformer.  
T-LT900 900W, 12-22V, Triple Circuit Transformer.  
T-FIDT Field Installed Plug-in Digital Timer.  
T-FIT Field Installed Plug-in Mechanical Timer.  
T-TR-FIP Field Installed Plug-in Photocell

T-LT75



T-FIDT

T-LT300

