

# SPECIFICATION SHEET

## PRODUCT # : CL-620

•Area Lights

•Aluminum

### Fixture Specifications:

**Housing:** Die-cast aluminum

**Stem:** None.

**Finish:** Polyester UV powder coated, available in **BK- Black**, and **BZ- Bronze**.

**Lens:** Clear, tempered glass.

**Socket:** Top grade fixed ceramic bi-pin socket. Easy tool free lamp access.

**Lamp:** 12V, MR-11, 20W max.

Available in 2.5W LED or without lamp.

See lamp guide below for more information.

**Gasket:** Silicone "O" ring gasket, sealing the fixture to provide weather-tight protection.

**Wiring:**

Fixture is prewired with a 3ft 18-2 direct burial cord. Wire connector sold separately. Quick-locking connectors are available from Corona Lighting (**CX-LOC**) find details on page 3.

**Mounting Spike:**


6" cast aluminum spike with 1/2" NPT male hub on top.

**Electrical Notes:**

A remote 12V transformer is required. See page 3 for available options. Voltage range for LED lamps are 9V-17V. Proper grease/lubricant is suggested on threaded parts during installation process.

**Warranty:**

Limited one (1) year warranty on fixture housing against manufacturer's defects.



### AVAILABLE LED LAMPS

(Corona LED lamps have a five (5) year limited warranty against manufacturer's defects)

LAMP NUMBER	WATTS	BEAM SPREAD	COLOR & LUMEN	RATED HOURS	HALOGEN EQUIVALENT
L-ED11-2.5W	2.5	38° FL	180 LUMEN	2700K	50,000 HOURS

### JOB INFORMATION

TYPE: DATE:

JOB NAME & ADDRESS:

PRODUCT #:

TOTAL QUANTITY:

LAMP TYPE & WATTAGE:

TRANSFORMER:

CONTRACTOR:

SPECIFIER:

- When ordering LED lamp with a fixture your part number should follow the format below:

•CL - **product #** - **color** - **lamp** - **wattage**

CL - **620** - **BK** - **L-ED11** - **2.5W**

Example: CL-620-BK-L-ED11-2.5W

# ACCESSORIES SHEET

## PRODUCT # : CL-620

### Mounting Pedestals

CX-601-BK 1" PVC Mounting Pedestal,  $\frac{1}{2}$ " NPT, **Black**  
 CX-601-VG 1" PVC Mounting Pedestal,  $\frac{1}{2}$ " NPT, **Verde Green**  
 CX-603-BK 3" PVC Mounting Pedestal,  $\frac{1}{2}$ " NPT Female Brass Hub on top, **Black**  
 CX-603-VG 3" PVC Mounting Pedestal,  $\frac{1}{2}$ " NPT Female Brass Hub on top, **Verde Green**



CX-603-BK

CX-604-BK 1" PVC Adjustable Mounting Pedestal,  $\frac{1}{2}$ " NPT, **Black**  
 CX-621-BK 1" PVC Cap,  $\frac{1}{2}$ " NPT, **Black**  
 CX-621-VG 1" PVC Cap,  $\frac{1}{2}$ " NPT, **Verde Green**  
 CX-622-BK 2" PVC Cap,  $\frac{1}{2}$ " NPT, **Black**  
 CX-622-VG 2" PVC Cap,  $\frac{1}{2}$ " NPT, **Verde Green**  
 CX-624-BK 3" PVC Cap,  $\frac{1}{2}$ " NPT Female Brass Hub, **Black**  
 CX-624-VG 3" PVC Cap,  $\frac{1}{2}$ " NPT Female Brass Hub, **Verde Green**

### Mounting Canopies

CX-703 Aluminum tree mount canopy  $\frac{1}{2}$  NPT  
 Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,  
**GT**- Granite, **RT**- Rust, **VG**- Verde Green,  
**WH**- White



CX-703-BK

### •Area Lights

### •Aluminum

### Ground Spikes

CX-642-BK 8.5" ABS Spike,  $\frac{1}{2}$ " NPT, **Black**  
 CX-642-BZ 8.5" ABS Spike,  $\frac{1}{2}$ " NPT, **Bronze**  
 CX-643-BZ 8.5" ABS Spike,  $\frac{1}{2}$ " NPT, **Bronze**



CX-647-BK

CX-646-BK 8" ABS Spike,  $\frac{1}{2}$ " NPT, **Black**  
 CX-646-BR 8" ABS Spike,  $\frac{1}{2}$ " NPT, **Natural Brass**  
 CX-646-SS 8" ABS Spike,  $\frac{1}{2}$ " NPT, **Stainless Steel**  
 CX-647-BK 10.5" Heavy Duty ABS Spike,  $\frac{1}{2}$ " NPT, **Black**

### Mounting Risers

CX-671 6" Aluminum Riser,  $\frac{1}{2}$  NPT Male/Female  
 Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,  
**GT**- Granite, **RT**- Rust, **VG**- Verde Green,  
**WH**- White

CX-672 12" Aluminum Riser,  $\frac{1}{2}$  NPT Male/Female  
 Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,  
**GT**- Granite, **RT**- Rust, **VG**- Verde Green,  
**WH**- White

CX-673 18" Aluminum Riser,  $\frac{1}{2}$  NPT Male/Female  
 Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,  
**GT**- Granite, **RT**- Rust, **VG**- Verde Green,  
**WH**- White



CX-671-BK 6"



CX-672-BK 12"



CX-673-BK 18"

# ACCESSORIES SHEET

## PRODUCT # : CL-620

- Area Lights

- Aluminum

### Mounting Brackets

CX-700 Aluminum Bracket,  $\frac{1}{2}$ " NPT

Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,  
**GT**- Granite, **RT**- Rust, **VG**- Verde Green,  
**WH**- White

CX-704 Aluminum Bracket,  $\frac{1}{2}$ " NPT

Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,  
**GT**- Granite, **RT**- Rust, **VG**- Verde Green,  
**WH**- White

**CX-700-BK**



3 $\frac{3}{4}$ "

**CX-704-BK**



3 1/2"

### Stainless Steel Pool and Spa Rated Transformers

T-LTF60 60W, 12V, Compact Mini Transformer

T-LT75 75W, 12 and 15V, Single Circuit Transformer  
 w/ Integrated Mechanical Timer.

T-LT150 150W, 12-15V, Single Circuit Transformer.

T-LT300 300W, 12-15V, Single Circuit Transformer.

T-LT600 600W, 12-15V, Dual Circuit Transformer.

T-LT900 900W, 12-22V, Triple Circuit Transformer.

T-FIDT Field Installed Plug-in Digital Timer.

T-FIT Field Installed Plug-in Mechanical Timer.

T-TR-FIP Field Installed Plug-in Photocell




**T-LT75**

### Cable Connectors

CX-LOC Quick-locking Cable Connectors, Tan  
[\(Installation Instructions\)](#)

**CX-LOC**



1 1/2"

5/8"



**T-FIDT**



**T-LT300**