

SPECIFICATION SHEET

1633 Staunton Ave

Los Angeles, CA 90021

TEL.

FAX.

(800) 727-9262

(800) 727-9957

(213) 747-4500

(213) 747-3234

E-Mail: sales@coronalighting.com

PRODUCT # : CL-641

•Area Lights

•Aluminum

Fixture Specifications:

Housing: Aluminum

Stem: 18" Aluminum pipe with 1/2" NPT on bottom. 12" stem is also available.

Finish: Polyester UV powder coated, available in **BK-Black** and **BZ- Bronze**
Lens: Clear tempered glass, cover over lamp providing sprinkler water protection.

Socket: Top grade fixed ceramic bi-pin socket. Easy tool free lamp access.

Lamp: 12V T3 LED.
Available in 3W Bluetooth Mesh smart RGB-WW; 2W, 2.5W LED or without lamp.
See the Lamp Guide below for more information.

Wiring:


 Fixture is prewired with a 3ft 18-2 direct burial cord. Wire connector sold separately. Quick-locking connectors are available from Corona Lighting (**CX-LOC**) find details on page 3.

Mounting Spike:

Standard injection molded spike with 1/2" NPT threaded female hub.

Electrical Notes:

 A remote 12V transformer is required. See page 3 for available options
Voltage range for BT lamps are 9-17V, LED are 8-21V. Proper grease/lubricant is suggested on threaded parts during installation process.


Warranty:
Five (5) year warranty on fixture housing and stem against manufacturer's defects.


AVAILABLE LED LAMPS

(Corona LED lamps have a five (5) year limited warranty against manufacturer's defects)

LAMP NUMBER	WATTS	BEAM SPREAD	LUMEN	COLOR & TEMP.	RATED HOURS	HALOGEN EQUIVALENT
L-EDT3-3W-BT*	0.5-3	360°	10-200	2200K-5700K	50,000	---
L-EDT3-2W	2	360°	200	2700K	25,000	20 Watt
L-EDT3-2.5W	2.5	180°	240	2700K	25,000	35 Watt
L-EDT3-2W-3K	2	360°	210	3000K	25,000	20 Watt
L-EDT3-2.5W-3K	2.5	180°	250	3000K	25,000	35 Watt
L-EDT3-AM*	2	360°	170	2000K	25,000	20 Watt

* AM- Amber color

 For more additional Lamps, and accessories visit Coronalighting.com


JOB INFORMATION

TYPE:

DATE:

JOB NAME & ADDRESS:

PRODUCT #:

TOTAL QUANTITY:

LAMP TYPE & WATTAGE:

TRANSFORMER:

CONTRACTOR:

SPECIFIER:

• When ordering a halogen or xenon lamp add lamp number to the end of the product number. If you are ordering LED lamps you should follow the format below:

 •CL - **product #** - **color** - **lamp** - **wattage**
 CL - **641** - **BZ** - **L-EDT3** - **2W-3K**

Example: CL-641-BZ-L-EDT3-2W-3K

• Corona Lighting reserves the right to make any change and/or improvement to the design and construction of this fixture without further notification.

ACCESSORIES SHEET

PRODUCT # : CL-641

Mounting Pedestals

CX-601-BK 1" PVC Mounting Pedestal, 1/2" NPT, **Black**
 CX-601-VG 1" PVC Mounting Pedestal, 1/2" NPT, **Verde Green**
 CX-603-BK 3" PVC Mounting Pedestal, 1/2" NPT Female Brass Hub on top, **Black**
 CX-603-VG 3" PVC Mounting Pedestal, 1/2" NPT Female Brass Hub on top, **Verde Green**


CX-603-BK

CX-604-BK 1" PVC Adjustable Mounting Pedestal, 1/2" NPT, **Black**
 CX-621-BK 1" PVC Cap, 1/2" NPT, **Black**
 CX-621-VG 1" PVC Cap, 1/2" NPT, **Verde Green**
 CX-622-BK 2" PVC Cap, 1/2" NPT, **Black**
 CX-622-VG 2" PVC Cap, 1/2" NPT, **Verde Green**
 CX-624-BK 3" PVC Cap, 1/2" NPT Female Brass Hub, **Black**
 CX-624-VG 3" PVC Cap, 1/2" NPT Female Brass Hub, **Verde Green**

Mounting Canopies

CX-703 Aluminum Tree Mount Canopy 1/2 NPT
 Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,
GT- Granite, **RT**- Rust, **VG**- Verde Green,
WH- White


CX-703-BK

- Area Lights

- Aluminum

Ground Spikes

CX-642-BK 8.5" ABS Spike, 1/2" NPT, **Black**
 CX-642-BZ 8.5" ABS Spike, 1/2" NPT, **Bronze**
 CX-643-BZ 8.5" ABS Spike, 1/2" NPT, **Bronze**


CX-647-BK

CX-646-BK 8" ABS Spike, 1/2" NPT, **Black**
 CX-646-BR 8" ABS Spike, 1/2" NPT, **Natural Brass**
 CX-646-SS 8" ABS Spike, 1/2" NPT, **Stainless Steel**
 CX-647-BK 10.5" Heavy Duty ABS Spike, 1/2" NPT, **Black**

Mounting Risers

CX-671 6" Aluminum Riser, 1/2 NPT Male/Female
 Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,
GT- Granite, **RT**- Rust, **VG**- Verde Green,
WH- White

CX-672 12" Aluminum Riser, 1/2 NPT Male/Female
 Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,
GT- Granite, **RT**- Rust, **VG**- Verde Green,
WH- White

CX-673 18" Aluminum Riser, 1/2 NPT Male/Female
 Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,
GT- Granite, **RT**- Rust, **VG**- Verde Green,
WH- White


CX-671-BK 6"

CX-672-BK 12"

CX-673-BK 18"

ACCESSORIES SHEET

PRODUCT # : CL-641

- Area Lights

- Aluminum

Mounting Brackets

CX-700 Aluminum Bracket, $\frac{1}{2}$ " NPT
Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,
GT- Granite, **RT**- Rust, **VG**- Verde Green,
WH- White

CX-704 Aluminum Bracket, $\frac{1}{2}$ " NPT
Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,
GT- Granite, **RT**- Rust, **VG**- Verde Green,
WH- White

CX-700-BK


3 3/4"

CX-704-BK


3 1/2"

Stainless Steel Pool and Spa Rated Transformers

T-LTF60 60W, 12V, Compact Mini Transformer

T-LT75 75W, 12 and 15V, Single Circuit Transformer w/ Integrated Mechanical Timer.

T-LT150 150W, 12-15V, Single Circuit Transformer.

T-LT300 300W, 12-15V, Single Circuit Transformer.

T-LT600 600W, 12-15V, Dual Circuit Transformer.

T-LT900 900W, 12-22V, Triple Circuit Transformer.


T-FIDT Field Installed Plug-in Digital Timer.

T-FIT Field Installed Plug-in Mechanical Timer.

T-TR-FIP Field Installed Plug-in Photocell


T-LT75

T-FIDT

T-LT300
CX-LOC


5/8"

1 1/2"