

SPECIFICATION SHEET

1633 Staunton Ave

Los Angeles, CA 90021

TEL.

FAX.

(800) 727-9262

(800) 727-9957

(213) 747-4500

(213) 747-3234

E-Mail: sales@coronalighting.com

PRODUCT # : CL-654B-AB

- Area Lights

- Cast Brass

Fixture Specifications:

Housing: Brass shade, adjustable in height for light control.

Stem: Solid brass pipe with 1/2" NPT on bottom.

Finish: AB- Antique Bronze. Natural toning process. AB finish will vary due to artistic process.

Lens: Clear glass, covers over lamp providing sprinkler water protection. Frosted lens (CX-308-FR) available.

Socket: S.C. Bayonet socket, easy tool free lamp access.

Lamp: 12V S.C Bayonet LED. Available in 3W Bluetooth Mesh RGB-WW; 2W, 2.5W LED or without lamp. See the Lamp Guide below for more information.

Gasket: Silicone "O" ring gasket seals lens to socket housing for water tight sealing.

Wiring:

Fixture is prewired with a 3-ft 18-2 direct burial cord. Wire connector sold separately.

Quick-locking connectors are available from Corona Lighting (CX-LOC) find details on page 2.

Mounting Spike:

Standard injection molded spike with 1/2" NPT threaded female hub.

Electrical Notes:



A remote 12V transformer is required. Options are available from Corona Lighting (see page 3). Voltage range for BT lamps are 9-17V, LED are 8-21V. Proper grease/lubricant is suggested on threaded parts during installation process.

Warranty:

Limited lifetime warranty on fixture housing and stem against manufacturer's defects.



CL-654B-AB
18" Standard
stem shown



LED
2W, 2.5W & 3W



CL-654B-AB-12
12" Stem shown



CL-654B-AB-24
24" Stem shown

AVAILABLE LED LAMPS

(Corona LED lamps have a five (5) year limited warranty against manufacturer's defects)

LAMP NUMBER	WATTS	BEAM SPREAD	LUMEN	COLOR & TEMP.	RATED HOURS	HALOGEN EQUIVALENT
L-EDBA-3W-BT*	0.5-3	360°	10-200	2200K - 5700K	50,000	---
L-EDBA-2W	2	360°	200	2700K	25,000	20 Watt
L-EDBA-2.5W	2.5	180°	240	2700K	25,000	35 Watt
L-EDBA-2W-3K	2	360°	210	3000K	25,000	20 Watt
L-EDBA-2.5W-3K	2.5	180°	250	3000K	25,000	35 Watt
L-EDBA-AM*	2	360°	170	2000K	25,000	20 Watt

* AM- Amber color

For more additional Lamps, and accessories visit Coronalighting.com

JOB INFORMATION

TYPE: DATE:

JOB NAME & ADDRESS:

PRODUCT #:

TOTAL QUANTITY:

LAMP TYPE & WATTAGE:

TRANSFORMER:

CONTRACTOR:

SPECIFIER:

• When ordering a halogen or xenon lamp add lamp number to the product number. If you are ordering LED lamps you should follow the format below:

• CL - **product #** - **Length** - **Lamp** - **wattage**

CL - **654B-AB** - **18** - **L-EDBA** - **2W-3K**

Example: CL-654B-AB-18-L-EDBA-2W-3K

• Corona Lighting reserves the right to make any change and/or improvement to the design and construction of this fixture without further notification.

ACCESSORIES SHEET

PRODUCT # : CL-654B-AB

Mounting Pedestals


CX-601-BK 1" PVC Mounting Pedestal, $\frac{1}{2}$ " NPT, **Black**
 CX-601-VG 1" PVC Mounting Pedestal, $\frac{1}{2}$ " NPT, **Verde Green**
 CX-603-BK 3" PVC Mounting Pedestal, $\frac{1}{2}$ " NPT Female Brass Hub on top, **Black**
 CX-603-VG 3" PVC Mounting Pedestal, $\frac{1}{2}$ " NPT Female Brass Hub on top, **Verde Green**


CX-603-BK

CX-604-BK 1" PVC Adjustable Mounting Pedestal, $\frac{1}{2}$ " NPT, **Black**
 CX-621-BK 1" PVC Cap, $\frac{1}{2}$ " NPT, **Black**
 CX-621-VG 1" PVC Cap, $\frac{1}{2}$ " NPT, **Verde Green**
 CX-622-BK 2" PVC Cap, $\frac{1}{2}$ " NPT, **Black**
 CX-622-VG 2" PVC Cap, $\frac{1}{2}$ " NPT, **Verde Green**
 CX-624-BK 3" PVC Cap, $\frac{1}{2}$ " NPT Female Brass Hub, **Black**
 CX-624-VG 3" PVC Cap, $\frac{1}{2}$ " NPT Female Brass Hub, **Verde Green**

Mounting Canopies

CX-705B-AB Brass Flat Canopy, $\frac{1}{2}$ NPT, **Antique Bronze**
 CX-709B-AB Brass Raised Canopy, $\frac{1}{2}$ NPT, **Antique Bronze**
 CX-718B-AB 5" Brass Canopy, 3-Hole $\frac{1}{2}$ NPT, **Antique Bronze**
 CX-721B-AB Brass Tree Mount Canopy with 15" Rubber Strap stretches to 22", **Antique Bronze**
 CX-722B-AB Brass Tree Mount Canopy with 22" Rubber Strap stretches to 33", **Antique Bronze**
 CX-723B-AB Brass Tree Mount Canopy with 31" Rubber Strap stretches to 45", **Antique Bronze**


CX-709B-AB


CX-722B-AB

- Area Lights

- Cast Brass

Ground Spikes


CX-642-BK 8.5" ABS Spike, $\frac{1}{2}$ " NPT, **Black**
 CX-642-BZ 8.5" ABS Spike, $\frac{1}{2}$ " NPT, **Bronze**
 CX-643-BZ 8.5" ABS Spike, $\frac{1}{2}$ " NPT, **Bronze**


CX-647-BK

CX-646-BK 8" ABS Spike, $\frac{1}{2}$ " NPT, **Black**
 CX-646-BR 8" ABS Spike, $\frac{1}{2}$ " NPT, **Natural Brass**
 CX-646-SS 8" ABS Spike, $\frac{1}{2}$ " NPT, **Stainless Steel**
 CX-647-BK 10.5" Heavy Duty ABS Spike, $\frac{1}{2}$ " NPT, **Black**


Mounting Risers

CX-682B-AB 6" Brass Riser, $\frac{1}{2}$ NPT Male/Female, **Antique Bronze**
 CX-683B-AB 12" Brass Riser, $\frac{1}{2}$ NPT Male/Female, **Antique Bronze**
 CX-684B-AB 18" Brass Riser, $\frac{1}{2}$ NPT Male/Female, **Antique Bronze**
 CX-685B-AB 24" Brass Riser, $\frac{1}{2}$ NPT Male/Female, **Antique Bronze**


CX-682B-AB 6"
CX-683B-AB 12"
CX-684B-AB 18"
CX-685B-AB 24"

Cable Connectors

CX-LOC Quick-locking Cable Connectors, **Tan**
[\(Installation Instructions\)](#)



ACCESSORIES SHEET

PRODUCT # : CL-654B-AB

- Area Lights

- Cast Brass

Stainless Steel Pool and Spa Rated Transformers

T-LTF60	60W, 12V, Compact Mini Transformer
T-LT75	75W, 12 and 15V, Single Circuit Transformer w/ Integrated Mechanical Timer.
T-LT150	150W, 12-15V, Single Circuit Transformer.
T-LT300	300W, 12-15V, Single Circuit Transformer.
T-LT600	600W, 12-15V, Dual Circuit Transformer.
T-LT900	900W, 12-22V, Triple Circuit Transformer.
T-FIDT	Field Installed Plug-in Digital Timer.
T-FIT	Field Installed Plug-in Mechanical Timer.
T-TR-FIP	Field Installed Plug-in Photocell


T-LT75

T-FIDT

T-LT300

T-TR-FIP

T-LT150

Dimmers

CX-DIM-100	100W, Low Voltage Dimmer Switch. Use with T-LT Series Transformers, Black
------------	---


CX-DIM-100