



WWW.CORONALIGHTING.COM

ARCHITECTURAL GRADE SERIES

SPECIFICATION SHEET

1633 Staunton Ave

Los Angeles, CA 90021

TEL.

FAX.

(800) 727-9262

(800) 727-9957

(213) 747-4500

(213) 747-3234

E-Mail: sales@coronalighting.com

PRODUCT # : CL-661


•Area Lights

•Aluminum

Fixture Specifications:

Housing: Aluminum**Stem:** 18" Aluminum pipe with 1/2" NPT on bottom. 12" stem is also available.**Finish:** Polyester UV powder coated, available in **BK-Black** and **BZ- Bronze****Lens:** Clear tempered glass, cover over lamp providing sprinkler water protection.**Socket:** Top grade fixed ceramic bi-pin socket. Easy tool free lamp access.**Lamp:** 12V T3 LED.
Available in 3W Bluetooth Mesh RGB-WW; 2W, 2.5W LED or without lamp.
See the Lamp Guide below for more information.**Wiring:**Fixture is prewired with a 3-ft 18-2 direct burial cord.
Wire connector sold separately.Quick-locking connectors are available from Corona Lighting (**CX-LOC**) find details on page 3.**Mounting Spike:**

Standard injection molded spike with 1/2" NPT threaded female hub.

Electrical Notes:A remote 12V transformer is required. Options are available from Corona Lighting (see page 3).
Voltage range for BT lamps are 9-17V, LED are 8-21V.
Proper grease/lubricant is suggested on threaded parts during installation process.**Warranty:****Five (5) year** warranty on fixture housing and stem against manufacturer's defects.

AVAILABLE LED LAMPS

 (Corona LED lamps have a five (5) year limited warranty against manufacturer's defects)

| LAMP NUMBER | WATTS | BEAM SPREAD | LUMEN | COLOR & TEMP. | RATED HOURS | HALOGEN EQUIVALENT |
|----------------|-------|-------------|--------|---------------|-------------|--------------------|
| L-EDT3-3W-BT* | 0.5-3 | 360° | 10-200 | 2200K-5700K | 50,000 | --- |
| L-EDT3-2W | 2 | 360° | 200 | 2700K | 25,000 | 20 Watt |
| L-EDT3-2.5W | 2.5 | 180° | 240 | 2700K | 25,000 | 35 Watt |
| L-EDT3-2W-3K | 2 | 360° | 210 | 3000K | 25,000 | 20 Watt |
| L-EDT3-2.5W-3K | 2.5 | 180° | 250 | 3000K | 25,000 | 35 Watt |
| L-EDT3-AM* | 2 | 360° | 170 | 2000K | 25,000 | 20 Watt |

* AM- Amber color

For more additional Lamps, and accessories visit Coronalighting.com

JOB INFORMATION

TYPE: DATE:

JOB NAME & ADDRESS:

PRODUCT #:

TOTAL QUANTITY:

LAMP TYPE & WATTAGE:

TRANSFORMER:

CONTRACTOR:

SPECIFIER:

• When ordering a halogen or xenon lamp add lamp number to the end of the product number. If you are ordering LED lamps you should follow the format below:

• CL - **product #** - **color** - **lamp** - **wattage**

CL - 661 - BZ - L-EDT3 - 2W-3K

Example: CL-661-BZ-L-EDT3-2W-3K

• Corona Lighting reserves the right to make any change and/or improvement to the design and construction of this fixture without further notification.

ACCESSORIES SHEET

PRODUCT # : CL-661

Mounting Pedestals

CX-601-BK 1" PVC Mounting Pedestal, $\frac{1}{2}$ " NPT, **Black**
 CX-601-VG 1" PVC Mounting Pedestal, $\frac{1}{2}$ " NPT, **Verde Green**
 CX-603-BK 3" PVC Mounting Pedestal, $\frac{1}{2}$ " NPT Female Brass Hub on top, **Black**
 CX-603-VG 3" PVC Mounting Pedestal, $\frac{1}{2}$ " NPT Female Brass Hub on top, **Verde Green**



CX-603-BK

CX-604-BK 1" PVC Adjustable Mounting Pedestal, $\frac{1}{2}$ " NPT, **Black**
 CX-621-BK 1" PVC Cap, $\frac{1}{2}$ " NPT, **Black**
 CX-621-VG 1" PVC Cap, $\frac{1}{2}$ " NPT, **Verde Green**
 CX-622-BK 2" PVC Cap, $\frac{1}{2}$ " NPT, **Black**
 CX-622-VG 2" PVC Cap, $\frac{1}{2}$ " NPT, **Verde Green**
 CX-624-BK 3" PVC Cap, $\frac{1}{2}$ " NPT Female Brass Hub, **Black**
 CX-624-VG 3" PVC Cap, $\frac{1}{2}$ " NPT Female Brass Hub, **Verde Green**

Mounting Canopies

CX-703 Aluminum Tree Mount Canopy $\frac{1}{2}$ NPT
 Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,
GT- Granite, **RT**- Rust, **VG**- Verde Green,
WH- White



CX-703-BK

- Area Lights

- Aluminum

Ground Spikes

CX-642-BK 8.5" ABS Spike, $\frac{1}{2}$ " NPT, **Black**
 CX-642-BZ 8.5" ABS Spike, $\frac{1}{2}$ " NPT, **Bronze**
 CX-643-BZ 8.5" ABS Spike, $\frac{1}{2}$ " NPT, **Bronze**



CX-647-BK

CX-646-BK 8" ABS Spike, $\frac{1}{2}$ " NPT, **Black**
 CX-646-BR 8" ABS Spike, $\frac{1}{2}$ " NPT, **Natural Brass**
 CX-646-SS 8" ABS Spike, $\frac{1}{2}$ " NPT, **Stainless Steel**
 CX-647-BK 10.5" Heavy Duty ABS Spike, $\frac{1}{2}$ " NPT, **Black**

Mounting Risers

CX-671 6" Aluminum Riser, $\frac{1}{2}$ NPT Male/Female
 Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,
GT- Granite, **RT**- Rust, **VG**- Verde Green,
WH- White

CX-672 12" Aluminum Riser, $\frac{1}{2}$ NPT Male/Female
 Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,
GT- Granite, **RT**- Rust, **VG**- Verde Green,
WH- White

CX-673 18" Aluminum Riser, $\frac{1}{2}$ NPT Male/Female
 Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,
GT- Granite, **RT**- Rust, **VG**- Verde Green,
WH- White



CX-671-BK 6"



CX-672-BK 12"



CX-673-BK 18"

ACCESSORIES SHEET

PRODUCT # : CL-661

- Area Lights

- Aluminum

Mounting Brackets

CX-700 Aluminum Bracket, 1/2" NPT
 Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,
GT- Granite, **RT**- Rust, **VG**- Verde Green,
WH- White

CX-704 Aluminum Bracket, 1/2" NPT
 Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,
GT- Granite, **RT**- Rust, **VG**- Verde Green,
WH- White

CX-700-BK


3 3/4"

CX-704-BK


3 1/2"

Stainless Steel Pool and Spa Rated Transformers

T-LTF60 60W, 12V, Compact Mini Transformer

T-LT75 75W, 12 and 15V, Single Circuit Transformer w/ Integrated Mechanical Timer.

T-LT150 150W, 12-15V, Single Circuit Transformer.

T-LT300 300W, 12-15V, Single Circuit Transformer.

T-LT600 600W, 12-15V, Dual Circuit Transformer.

T-LT900 900W, 12-22V, Triple Circuit Transformer.


T-FIDT Field Installed Plug-in Digital Timer.

T-FIT Field Installed Plug-in Mechanical Timer.

T-TR-FIP Field Installed Plug-in Photocell


T-LT75

T-FIDT

T-LT300
CX-LOC

 1 1/2"
 ↓
 ↑

5/8"